



A 20'-0" B 20'-0" C 20'-0" D 20'-0" E 20'-0" F 20'-0" G 20'-0" H 20'-0" J 20'-0" K 20'-0" L 20'-0" M 20'-0" N 20'-0" P 20'-0" Q

1 20'-0"  
2 20'-0"  
3 20'-0"  
4 20'-0"  
5 20'-0"  
6 20'-0"  
7 20'-0"  
8 20'-0"  
9 20'-0"  
10 20'-0"

1 HOUR ASSEMBLY  
6" 20-GA CSW (Dietrich)  
METAL STUDS AT 16" O.C.  
W/ 1/2" GWB EACH SIDE AND  
R19 BATT INSULATION

1 HOUR ASSEMBLY  
6" 20-GA CSW (Dietrich)  
METAL STUDS AT 16" O.C.  
W/ 1/2" GWB EACH SIDE AND  
R19 BATT INSULATION

1 HOUR ASSEMBLY  
6" 20-GA CSW (Dietrich)  
METAL STUDS AT 12" O.C.  
W/ 1/2" GWB EACH SIDE AND  
R19 BATT INSULATION

1 HOUR RATED  
10' X 12' OVERHEAD DOOR

PROPOSED LOADING  
DOOR

PROPOSED LOADING  
DOOR

EXISTING SEWER

